Inventor: Cedric Shackleton
Application No.: Unassigned
Atty. Docket No. CHOR-003

Maternal urine oestriol

Maternal urine pregnanetriol




Figure 1

Inventor: Cedric Shackleton
Application No.: Unassigned
Atty. Docket No. CHOR-003

FIGURE 2

S
SOTS
S
fo.
lisk
t R
A
nts
tie
Pa
in
ios
}at
ic R
ost
gne
)ia
d D
an
uE3 and L
n t
II
Se
e (
nin
ati
cre
) S/
Sn)
us
<u>[i</u>
tra
en
nc Suc
Ö
ine
2 C
Ę.
ero
St
1

occiona office concentrations (ug/g creatinine)	וויבוווו	ations	148/8 C	reaum	ne), S	. Serum ut: 3 and Diagnostic Ratios in Patients At Risk for SLOS	E3 and	Ulagno	Stic Ka	tios in .	Patient	s At Ris	sk for S	SOI	
						P1-P5									ZI-Z
	$P1^{a}$	P2	P3	P4	P5	MEAN	Z Z	N2	N3	N 4	N5	9N	N N	N8	8 N N
															MEAN
DHC/Chok (%)	83.8	83.8 176.2	54.0	22.5	130	93.3	0.01	900.	.0012	900	.001	.23	0.21	0.02	0.06
$\mathrm{uE_{3}^{b}}$ (MOM)	0.23	0.19	NM^{d}	NM	0.14	0.19	1.09	0.79	0.83	1.59	1.07	1.17	1.76	1.12	1.18
Gestational Age	20	31	20	12	18	20	16	15	15	17	17	17	15	16	16
(weeks)															
Pregnanediol (PD)	4485	4485 10545 21014	21014	5981	7903	9985	3882	3014	6319	6892	15757	5858	5469	12069	7407
Pregnanetriol (PT)	460	444	838	583	398	545	388	414	989	2778	1666	873	1137	1419	914
7-DHPT	470	160	513	21.5	340	301	<1.0	<2.7	<1.9	3.1	<4.7	<4.4	<2.8	<3.0	<3.0
Oestriol (E ₃)	142	485	198	67.5	285	235	1561	426	1274	3227	8466	5168	928	8397	3680
$8 ext{-DHE}_3$	196	644	194	4.5	325	300	<2.2	<5.0	<1.0	4.1	<10.6	<3.4	<4.0	<8.0	<4.6
$8 ext{-DHE}_3/ ext{E}_3$	1.38	0.73	0.98	0.07	1.14	98.0	<.001	<.01	<.008	<.0005	<.003	<.0007	<.004	<.001	<.004
7-DHPT/PT	1.02	0.35	0.59	0.04	0.82	0.36	<.001	<.01	<.003	<.005	<.003	<.007	<.003	<.002	<.005
$\mathrm{E_{3}/PD}$ (%)	6.3	12.0	1.6	2.8	8.0	6.2	40.2	14.1	20.1	47.0	53.7	88.2	17.0	9.69	43.7
$8-DHE_3+E_3/PD$ (%)	13.0	21.0	3.3	3.0	16.8	11.4	40.2	14.1	20.1	47.0	53.7	88.2	17.0	9.69	43.7

Notes: ^aPatients, P = positive for SLOS, N = negative for SLOS.

bunconjugated serum oestriol reported as multiples of median (MOM).
cDHC = 7-dehydrocholesterol. All values from amniotic fluid analysis with exception of P4, N3 and N7 which were from chorionic villus cells.

dNM = not measured.

Inventor: Cedric Shackleton
Application No.: Unassigned
Atty, Docket No. CHOR-003

FIGURE 3

	j						N1-N6
	P21	N2	N3	N4	N2	N6	MEAN
Pregnanediol (PD)	310	119	74	178	109	118	119
Pregnanetriol (PT)	25	39	15	30	44	28	31
7-DHPT	3.4	4 0.1	A 0.05	1.02	4 10.15	4 10.45	€0.17
Estriol (E ₃) 8-DHE_3	26	99	29 464	13	6.0	17 4 0.13	26 Z 10.34
7-DHPT/PT 8-DHE3/E3	0.13	10.11 1.0 03	15. 15. 1	16. 003	1. 2. 004	1 4 .002	7 0.008

Notes: ¹P = positive for SLOS; N = negative for SLOS.

Figure 4

Inventor: Cedric Shackleton Application No.: Unassigned Atty, Docket No. CHOR-003